	Application No.	Applicant(s)	
Notice of Allowability	10/600,387	JOHNSON ET AL.	
	Examiner	Art Unit	
	Janet M. Wilkens	3637	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to the amendment filed	July 25, 2005.		
2. X The allowed claim(s) is/are 3, 7, 10-13, 17, 18, 28, 32, 33,	35, 37, 38, 40, 42 and 71-7	<u>3</u> .	
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet in the state of the sheet in the state of the sheet in the sheet in	son's Patent Drawing Review . s Amendment / Comment o .84(c)) should be written on t	r in the Office action of he drawings in the front (not the back) of	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	/ <u>_</u>	formal Patent Application (PTO-152)	
	Paper No./Mail Date <u>9/27</u>	/Mail Date <u>9/27/2005</u> .	-
3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 7/25/2005			
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 		Statement of Reasons for Allowance	
	9. 🗍 Other	∴	

Art Unit: 3637

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard A Zachar on September 27, 2005.

The application has been amended as follows:

In claim 3, line 8, "position" has been deleted and --portion-- has been inserted after "upper".

In claim 3, line 9, "panel" has been deleted and --panels-- has been inserted after the first appearing "said".

In claim 3, line 9, "position" has been deleted.

In claim 7, line 2, "the" has been deleted and --an-- has been inserted after "in".

In claim 10, line 6, "the" has been deleted and --a-- has been inserted after "towards".

In claim 10, line 21, "the" has been deleted and --a-- has been inserted after "to".

In claim 10, line 24, "the" has been deleted and --a-- has been inserted after "proximate"

In claim 10, line 24, the second appearing "said" has been deleted.

Art Unit: 3637

In claim 11, line 2, "the" has been deleted and --a-- has been inserted after "proximate".

In claim 12, line 2, "the" has been deleted and --a-- has been inserted after "proximate".

In claim 12, line 5, "the" has been deleted and --a-- has been inserted after "proximate".

In claim 17, line 2, "each" has been deleted.

In claim 17, line 3, "pins" has been deleted and --pin-- has been inserted after "retention".

In claim 18, line 1, "device" has been deleted and --rack-- has been inserted after "display".

In claim 18, line 3, "the" has been deleted and --an-- has been inserted after "proximate".

In claim 32, line 2, the second appearing "the" has been deleted.

In claim 33, line 5, "the" has been deleted and --a-- has been inserted after "towards".

In claim 37, lines 5-7, the phrase "said chutes being...and dispensed therefrom" has been deleted and --said chutes having a width so as to allow cylindrical articles to be stored therein and dispensed therefrom-- has been inserted in line 5 after "therebetween,".

In claim 37, line 9, "position" has been deleted and --portion-- has been inserted after "upper".

Art Unit: 3637

In claim 37, line 10, "panel" has been deleted and --panels-- has been inserted after the first appearing "said".

In claim 37, line 10, "position" has been deleted.

In claim 37, line 28, "top" has been deleted and --upper-- has been inserted after "the".

In claim 37, line 29, "the" has been deleted and --a-- has been inserted after "proximate".

In claim 37, line 30, "the" has been deleted and --a-- has been inserted after "proximate".

In claim 38, line 1, "dispensing device" has been deleted and --rack-- has been inserted after "The".

In claim 38, line 3, "top" has been deleted and --upper-- has been inserted after the first appearing "the".

In claim 38, line 3, "dispensing device" has been deleted and --rack-- has been inserted after "said".

In claim 40, line 1, "dispensing device" has been deleted and --rack-- has been inserted after "The".

In claim 40, line 1, "33" has been deleted and --3-- has been inserted after "claim".

In claim 40, line 3, "top" has been deleted and --upper-- has been inserted before "portion".

Art Unit: 3637

In claim 40, line 3, "chute" has been deleted and --chutes-- has been inserted after the third appearing "said".

In claim 42, line 8, "position" has been deleted and --portion-- has been inserted after "upper".

In claim 42, line 9, "panel" has been deleted and --panels-- has been inserted after the first appearing "said".

In claim 42, line 9, "position" has been deleted.

In claim 42, line 23, "chute" has been deleted and --chutes-- has been inserted after "said".

In claim 71, line 8, the first appearing "and" has been deleted.

In claim 72, line 3, "walls" has been deleted and --panels-- has been inserted after the first appearing "said".

Finally, this application is in condition for allowance except for the presence of claims 24, 25, 27, 43-70 and 88-90 drawn to inventions non-elected without traverse. Accordingly, claims 24, 25, 27, 43-70 and 88-90 have been cancelled.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Janet M. Wilkens whose telephone number is (571) 272-6869. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lanna Mai can be reached on (571) 272-6867. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/600,387 Page 6

Art Unit: 3637

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Wilkens September 28, 2005

JANET M. WILKENS
PRIMARY EXAMINER

1 + 1 + 3 < 3